

Document Solutions

> PRINT > COPY > SCAN > FAX

ECOSYS M6630cidn (4-in-1) ECOSYS M6635cidn (4-in-1)

COLOR MULTIFUNCTION PRODUCT FOR A4 FORMAT





- Speedy A4 copy/print speed up to 35/35 cpm Mono/Color* with 1,200 x 1,200dpi printing
- Fast scanning up to 62/46 ipm Mono/Color.
- Support A6 duplex scan from Document Processor.
- Fit for high print volume with paper capacity up to 1,850 sheets**.
- User-friendly 7-inch large color touch screen panel.
- Standard 1GB RAM to meet heavy-duty tasks without additional memory.
- Support Google Cloud Print, Apple AirPrint and Mopria certified.
- Standard 100 sheets capacity with high productive One-path duplex scanning Document Feeder*.

* For ECOSYS M6635cidn only

** Main unit + Multi-Purpose Tray + Optional PF-5100 x 3




Born to be Extraordinary

KYOCERA Document Solutions is Extraordinary for

- Broad Range of Multifunction Devices and Printers
- Optimized Total Cost of Ownership (TCO)
- Reliable with Long Life Drum and Parts
- New and Advanced Technology

KYOCERA Document Solutions strives to be a company that contributes to the society and demonstrates a "Customer First" principle by providing customers with maximum value to increase their satisfaction. By adhering to the mission of producing document management devices that take balance between "Economy" and "Ecology", KYOCERA Document Solutions succeeds to develop document management devices with advanced technologies which help customers to optimize office productivity and efficiency at a low total cost of ownership and, at the same time, improving environmental performance.

Robust Features



Amazing Quality

COPY/PRINT

- Convenient Multi-Purpose Tray First Mode: Allow printing via Multi-Purpose Tray whenever a paper is loaded there.
- Direct print from USB memory.



• Superior image quality 1,200 x 1,200 dpi print resolution.



SCAN

- Support mixed sizes A4/Letter and Legal original in Copy/Scan. Skip Blank Page Function: Automatically skip blank pages in copy and scan.



- Fast scanning up to 62/46* ipm in A4 Mono/Color.
- Store scanned data easily by 'Scan to FTP', 'Scan to SMB', 'Scan to Email' and "Scan to USB".



FAX

- A destination and other transmission settings can be registered as a favor to prevent sending to the wrong recipient.
- Capable of sending and receiving fax via PC with network fax function.
 Fax broadcast up to 100 different destinations.



· 2-sided copy/print as standard



• Equip with special features, e.g. 'Job Finish Notice' and 'Prevent Bleed-Through' Functions, etc.



• Banner Send: Scan a banner/3 or 4 panels folding with ease (One-sided only)





*For ECOSYS M6635cidn only

High Standard of Security

· Authentication management among departments via IC Card.



• Standard built-in Kensington Security Slot for burglar-proof of the device.



• Private Print enables secure print jobs with preset password request at the device.





Protecting the Earth

- Low energy consumption
- Usage of white LED illumination for lower light emissions and power consumption.
- Free of Hazardous material
 - Fulfilled the requirements of RoHS (Restriction of Hazardous Substances) & usage of Lead-Free Parts.
- Reduce wastage by Long Life Consumables and Drums.
- Reduce noise by Quiet Mode.

Powerful Customization

By combining the innovative Business Applications, these devices can manage documents in an effective approach.

HyPAS Enhances specific document imaging needs.

- - Remote control designated KYOCERA printing devices by smartphone or tablet.
- - Print documents, photographs, images, etc. directly from iOS devices/Mac.
- KYOCERA Mobile Print
 - Conveniently print files, web pages and images using smartphone or tablet.
- KYOCERA Cloud Connect (Optional)
 - Print and scan directly to the cloud services easily.
- **KYOCERA Fleet Services (Optional)**
 - Maintain entire fleet from the cloud.
- **KYOCERA Net Manager (Optional)**
- Control sensitive documents and reduce printing costs.
- **KYOCERA Net Device Manager**
 - Optimize, track and manage network devices from local and remote locations.
- Support WiFi Direct:
 - o Require IB-36 Wireless LAN (Optional)
 - o Makes print via AirPrint/Google Cloud Print/Mopria/KYOCERA Mobile Print/KYOCERA MyPanel much easier.














Main Specifications Main Specifications	DSYS M6635cidn	
Main Function Copy, Print, Scan, Fax Writing Method Semiconductor Laser CPU ARM Cortex-A9 Dual core 1.2GHz Print Speed (A4) (Mono/Color) 30/30 ppm Scanning Speed (A4) 300dpi (Mono/Color) Duplex 60/40 ipm Memory Standard 1GB (Max. 3GB) Warm Up Time 26 seconds Paper Capacity Standard Maximum 250 sheets (Cassette) + 100 sheets (MPT) Maximum 1,850 sheets (Main Unit + 500 sheets PF-5100 x3 + MPT) Cassette Min. A6R - Max. A4 (Legal)	DSYS M6635cidn	
Writing Method Semiconductor Laser		
CPU ARM Cortex-A9 Dual core 1.2GHz Print Speed (A4) (Mono/Color) 30/30 ppm Cscanning Speed (A4) 300dpi (Mono/Color) Simplex 60/40 ipm Memory Standard 1GB (Max. 3GB) Warm Up Time 26 seconds Paper Capacity Standard Maximum 250 sheets (Cassette) ± 100 sheets (MPT) Maximum 1,850 sheets (Main Unit + 500 sheets PF-5100 x3 + MPT) Min. AGR - Max. A4 (Legal) Min. AGR - Max. A4 (Legal)		
Print Speed (A4) (Mono/Color) 30/30 ppm Scanning Speed (A4) 300dpi (Mono/Color) Simplex 60/40 ipm Duplex 26/17 ipm Memory Standard 1GB (Max. 3GB) Warm Up Time 26 seconds Paper Capacity Standard Maximum 250 sheets (Cassette) ± 100 sheets (MPT) Cassette Min. A6R - Max. A4 (Legal)		
Scanning Speed (A4) 300dpi	25/25	
(Mono/Color) Duplex 26/17 ipm Memory Standard 1GB (Max. 3GB) Warm Up Time 26 seconds Paper Capacity Standard Maximum 250 sheets (Cassette) + 100 sheets (MPT) Maximum 1,850 sheets (Main Unit + 500 sheets PF-5100 x3 + MPT) Cassette Min. AGR - Max. A4 (Legal)	35/35 ppm	
Memory Standard 1GB (Max. 3GB) Warm Up Time 26 seconds Paper Capacity Standard Maximum 250 sheets (Cassette) + 100 sheets (MPT) Maximum 1,850 sheets (Main Unit + 500 sheets PF-5100 x3 + MPT) Cassette Min. AGR - Max. A4 (Legal)	60/40 ipm	
Warm Up Time 26 seconds Paper Capacity Standard Maximum 250 sheets (Cassette) + 100 sheets (MPT) Maximum 1,850 sheets (Main Unit + 500 sheets PF-5100 x3 + MPT) Cassette Min. A6R - Max. A4 (Legal)	62/46 ipm	
Paper Capacity Standard Maximum 250 sheets (Cassette) + 100 sheets (MPT) Maximum 1,850 sheets (Main Unit + 500 sheets PF-5100 x3 + MPT) Cassette Min. A6R - Max. A4 (Legal)	25	
Paper Capacity Maximum 1,850 sheets (Main Unit + 500 sheets PF-5100 x3 + MPT) Cassette Min. A6R - Max. A4 (Legal)	25 seconds	
Cassette Min. AGR - Max. A4 (Legal)		
()		
MPT Min. A6R - Max. A4 (Legal)		
Cassette 60 - 163 g/m ²		
Paper Weight Option 60 - 220 g/m ²		
MPT 66 - 220 g/m ²		
Duplex Printing Paper size: A5R - A4/Legal; Paper weight: 60 - 163 g/m ²		
Output Capacity Max. 250 sheets face-down		
Control Panel 7 inch Color Touch LCD Panel		
Document Processor Standard (Max. 75 sheets RADF Type) Standard (Max. 100 sh	eets One-path duplex scanning Type)	
Dimension (W x D x H) (Main Unit) 475mm x 558mm x 616mm 480mm	n x 577mm x 619.5mm	
Weight (Main Unit) Approx. 35.4 kg	Approx. 36.5 kg	
Power Copy/Print Mode 521W/496W	547W/532W	
Consumption (Standard Stand-by Mode 70W	84W	
configuration) Energy Saver 0.6W	F2-ID(A)	
Noise (ISO7779/ Copy/Print Mode 49.5dB(A)	52dB(A)	
ISO9296) Stand-by Mode 30dB(A)		
Copy Size / Resolution This unit is manufactured according to ISO 9001 quality standard and ISO 14001 environmental stan	dard. RoHs compatibility	
Copy Functions (Standard)		
Copy Size / Resolution Max. A4 (Legal) - Min. A6R / 600 x 600 dpi		
First Copy Time (Mono/Color) 7.5 sec / 9.0 sec	7.5 sec / 8.5 sec	
Zoom Ratio Manual 25% - 400% (1% per Step)		
Pre-defined 7R5E		
Multiple Copy 1 - 999		
Print Functions (Standard)		
Resolution 600 x 600 dpi; 9600 Equivalent x 600 dpi; 1,200 x 1,200 dpi		
PDL PRESCRIBE, PCL6 (PCL-XL, PCL 5c), KPDL3 (Postscript 3 compatible), XPS, PDF Direct Pr		
First Print Out Time 6.5 sec / 7.5 sec	6.0 sec / 7.5 sec	
Supported Protocol TCP/IP, NetBEUI, FTP, Port 9100, LPR, IPP, IPP over SSL/TLS, WSD Print, Apple Bo	-	
Operating System Supported Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2; \\ Linux	Windows 7, Windows 10;	
Interface USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-T; USB Host Interface	(USB Host)x2	
USB Memory Printing Standard		
USB Memory Printing Format TIFF, JPEG, PDF, XPS		
e-mail Printing Standard		
Mobile Printing AirPrint, Mopria, KYOCERA Mobile Print, Google Cloud Print		
Color Selection ACS; Full Color; Grayscale; Black & White		
Color Selection ACS; Full Color; Grayscale; Black & White Resolution 600dpi, 400dpi, 300dpi, 200dpi, 200x400dpi, 200x400dpi	TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPEG compression/High-compression PDF), Encrypted PDF, PDF/A-1, PDF/A-2, MS Office file (option), Searchable PDF (option)	
Color Selection ACS; Full Color; Grayscale; Black & White Resolution 600dpi, 400dpi, 300dpi, 200dpi, 200dpi, 200x400dpi, 200x100dpi File Format TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPEG compression/High-compression PDF), Encrypted PDF, PDF/A-1, PDF/A-2, MS	Text, Photo, Text + Photo, Light Text/Fine Line	
Color Selection ACS; Full Color; Grayscale; Black & White Resolution 600dpi, 400dpi, 300dpi, 200dpi, 200dpi, 200x400dpi, 200x100dpi File Format TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPEG compression/High-compression PDF), Encrypted PDF, PDF/A-1, PDF/A-2, MS Image Type Mode Text, Photo, Text + Photo, Light Text/Fine Line		
Color Selection ACS; Full Color; Grayscale; Black & White Resolution 600dpi, 400dpi, 300dpi, 200dpi, 200dpi, 200x400dpi, 200x100dpi File Format TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPEG compression/High-compression PDF), Encrypted PDF, PDF/A-1, PDF/A-2, MS Image Type Mode Text, Photo, Text + Photo, Light Text/Fine Line Transmission Type Scan to SMB; Scan to E-mail; Scan to FTP over SSL; Scan to USB; TWAIN Scan; WS	SD Scan, WIA	
Color Selection ACS; Full Color; Grayscale; Black & White Resolution 600dpi, 400dpi, 300dpi, 200dpi, 200dpi, 200x400dpi, 200x100dpi File Format TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPEG compression/High-compression PDF), Encrypted PDF, PDF/A-1, PDF/A-2, MS Image Type Mode Text, Photo, Text + Photo, Light Text/Fine Line Transmission Type Scan to SMB; Scan to E-mail; Scan to FTP over SSL; Scan to USB; TWAIN Scan; WS Address Storage 200 addresses (Common address list), 50 groups (Group address list)	SD Scan, WIA	
Color Selection ACS; Full Color; Grayscale; Black & White Resolution 600dpi, 400dpi, 300dpi, 200dpi, 200x400dpi, 200x100dpi File Format TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPEG compression/High-compression PDF), Encrypted PDF, PDF/A-1, PDF/A-2, MS Image Type Mode Text, Photo, Text + Photo, Light Text/Fine Line Transmission Type Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; WS Address Storage 200 addresses (Common address list), 50 groups (Group address list) Fax Functions	5D Scan, WIA	
Color Selection Resolution Resolution File Format TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPEG compression/High-compression PDF), Encrypted PDF, PDF/A-1, PDF/A-2, MS Tears Transmission Type Transmission Type Scan to SMB; Scan to E-mail; Scan to FTP over SSL; Scan to USB; TWAIN Scan; WS Address Storage Color Selection Text, Photo, Text + Photo, Light Text/Fine Line Transmission Type Scan to SMB; Scan to E-mail; Scan to FTP over SSL; Scan to USB; TWAIN Scan; WS Address Storage Color Selection Text, Photo, Text + Photo, Light Text/Fine Line Transmission Type Scan to SMB; Scan to E-mail; Scan to FTP over SSL; Scan to USB; TWAIN Scan; WS Address Storage Togginal Size Max. A4 (Legal) - Min. A6	5D Scan, WIA	
Color Selection ACS; Full Color; Grayscale; Black & White Resolution File Format TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPEG compression/High-compression PDF), Encrypted PDF, PDF/A-1, PDF/A-2, MS Image Type Mode Text, Photo, Text + Photo, Light Text/Fine Line Transmission Type Scan to SMB; Scan to E-mail; Scan to FTP over SSL; Scan to USB; TWAIN Scan; WS Address Storage 200 addresses (Common address list), 50 groups (Group address list) Fax Functions Original Size Max. A4 (Legal) - Min. A6 Coding Method MMR, MR, MH, JBIG	SD Scan, WIA	
Color Selection ACS; Full Color; Grayscale; Black & White Resolution File Format TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPEG compression/High-compression PDF), Encrypted PDF, PDF/A-1, PDF/A-2, MS Image Type Mode Text, Photo, Text + Photo, Light Text/Fine Line Transmission Type Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; WS Address Storage 200 addresses (Common address list), 50 groups (Group address list) Fax Functions Original Size Max. A4 (Legal) - Min. A6 Coding Method MMR, MH, JBIG Transmission Speed	SD Scan, WIA	
Color Selection ACS; Full Color; Grayscale; Black & White Resolution 600dpi, 400dpi, 300dpi, 200dpi, 200x400dpi, 200x100dpi File Format TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPEG compression/High-compression PDF), Encrypted PDF, PDF/A-1, PDF/A-2, MS Image Type Mode Text, Photo, Text + Photo, Light Text/Fine Line Transmission Type Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; WS Address Storage 200 addresses (Common address list), 50 groups (Group address list) Original Size Max. A4 (Legal) - Min. A6 Coding Method MMR, MR, MH, JBIG Transmission Speed 33.6 kbps Memory 6MB	SD Scan, WIA	
Color Selection Resolution Color Selection Resolution Color Selection Resolution Color Selection Color Selection Resolution Color Selection Color Method Color Selection Color Selection Color Selection Color Mark Ad (Legal) - Min. A6 Color Selection Color Selection Color Selection Color Selection Color Selection Color Mark Ad (Legal) - Min. A6 Color Selection Color Selection Color Mark Ad (Legal) - Min. A6 Color Selection Color Selection Color Mark Ad (Legal) - Min. A6 Color Selection Color Mark Ad (Legal) - Min. A6 Color Mark Ad (Legal) - Min. A6 Color Selection Color	5D Scan, WIA	
Color Selection Resolution Color Selection Resolution Color, Grayscale; Black & White Resolution Color, Grayscale; Black & White Color, Grayscale; Black & Whi	5D Scan, WIA	
Color Selection ACS; Full Color; Grayscale; Black & White Resolution 600dpi, 400dpi, 300dpi, 200dpi, 200x400dpi, 200x100dpi File Format TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPEG compression/High-compression PDF), Encrypted PDF, PDF/A-1, PDF/A-2, MS Image Type Mode Text, Photo, Text + Photo, Light Text/Fine Line Transmission Type Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; WS Address Storage 200 addresses (Common address list), 50 groups (Group address list) Fax Functions Original Size Max. A4 (Legal) - Min. A6 Coding Method MMR, MR, MH, JBIG Transmission Speed 33.6 kbps Memory 6MB One Touch Dial 100 numbers Network FAX Yes Consumables & Options		
Color Selection ACS; Full Color; Grayscale; Black & White Resolution File Format TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPEG compression/High-compression PDF), Encrypted PDF, PDF/A-1, PDF/A-2, MS Image Type Mode Text, Photo, Text + Photo, Light Text/Fine Line Transmission Type Scan to SMB; Scan to E-mail; Scan to FTP over SSL; Scan to USB; TWAIN Scan; WS Address Storage 200 addresses (Common address list), 50 groups (Group address list) Fax Functions Original Size Max. A4 (Legal) - Min. A6 Coding Method MMR, MR, MH, JBIG Transmission Speed AGMB One Touch Dial Network FAX Consumables Consumables Consumables Options TK-5275K: Black (8,000 pages) TK-5285	K : Black (13,000 pages)	
Color Selection ACS; Full Color; Grayscale; Black & White Resolution 600dpi, 400dpi, 300dpi, 200dpi, 200x400dpi, 200x100dpi File Format TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPEG compression/High-compression PDF), Encrypted PDF, PDF/A-1, PDF/A-2, MS Image Type Mode Text, Photo, Text + Photo, Light Text/Fine Line Transmission Type Scan to SMB; Scan to F-mail; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; Wanderss Storage 200 addresses (Common address list), 50 groups (Group address list) Fax Functions Original Size Max. A4 (Legal) - Min. A6 Coding Method MMR, MR, MH, JBIG Transmission Speed 33.6 kbps Memory 6MB One Touch Dial 100 numbers Network FAX Yes Consumables & Options Tik-5275K: Black (8,000 pages) Tik-5275C: Cyan (6,000 pages) Tik-5275TM: Magneta (6,000 pages)	K : Black (13,000 pages) C : Cyan (11,000 pages)	
Color Selection Resolution Resolution Resolution Resolution Resolution TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPEG compression/High-compression PDF), Encrypted PDF, PDF/A-1, PDF/A-2, MS Tansmission Type Resolution Text, Photo, Text + Photo, Light Text/Fine Line Transmission Type Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; WS Address Storage Resolution Resolut	K : Black (13,000 pages)	
Color Selection ACS; Full Color; Grayscale; Black & White Resolution 600dpi, 400dpi, 300dpi, 200dpi, 200x400dpi, 200x100dpi File Format TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPEG compression/High-compression PDF), Encrypted PDF, PDF/A-1, PDF/A-2, MS Image Type Mode Text, Photo, Text + Photo, Light Text/Fine Line Transmission Type Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; WS Address Storage 200 addresses (Common address list), 50 groups (Group address list) Fax Functions Original Size Max. A4 (Legal) - Min. A6 Coding Method MMR, MR, MH, JBIG Transmission Speed 33.6 kbps Memory 6MB One Touch Dial 100 numbers Network FAX Yes Consumables & Options Toner Kit (Page Yield in accordance with ISO/ IEC 19798) TK-5275K: Black (8,000 pages) TK-5285M TK-5275K: Yellow (6,000 pages) TK-5285M TK-5275Y: Yellow (6,000 pages) TK-5285M	K : Black (13,000 pages) C : Cyan (11,000 pages) : Magenta (11,000 pages)	
Color Selection ACS; Full Color; Grayscale; Black & White Resolution 600dpi, 400dpi, 300dpi, 200dpi, 200x400dpi, 200x100dpi File Format TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPEG compression/High-compression PDF), Encrypted PDF, PDF/A-1, PDF/A-2, MS Image Type Mode Text, Photo, Text + Photo, Light Text/Fine Line Transmission Type Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; Wanderss Storage 200 addresses (Common address list), 50 groups (Group address list) Coding Method Max. A4 (Legal) - Min. A6 Coding Method MMR, MR, MH, JBIG Transmission Speed 33.6 kbps Memory 6MB One Touch Dial 100 numbers Network FAX Yes Consumables & Options Toner Kit (Page Yield in accordance with ISO/ IEC 19798) TK-5275K: Black (8,000 pages) TK-5285T (Page Yield in accordance with ISO/ IEC 19798) Capacity of Start un Toner Black 3,500 pages	K : Black (13,000 pages) C : Cyan (11,000 pages) : Magenta (11,000 pages) f : Yellow (11,000 pages)	
Color Selection ACS; Full Color; Grayscale; Black & White Resolution 600dpi, 400dpi, 300dpi, 200dpi, 200x400dpi, 200x400dpi, 200x100dpi File Format TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPEG compression/High-compression PDF), Encrypted PDF, PDF/A-1, PDF/A-2, MS Image Type Mode Text, Photo, Text + Photo, Light Text/Fine Line Transmission Type Scan to SMB; Scan to E-mail; Scan to FTP over SSL; Scan to USB; TWAIN Scan; WS Address Storage 200 addresses (Common address list), 50 groups (Group address list) Fax Functions Original Size Max. A4 (Legal) - Min. A6 Coding Method MMR, MR, MH, JBIG Transmission Speed 33.6 kbps Memory 6MB One Touch Dial 100 numbers Network FAX Yes Consumables & Options Toner Kit (Page Yield in accordance with ISO/ IEC 19798) TK-5275K : Black (8,000 pages) TK-5275K : Magenta (6,000 pages) TK-5275F : Yellow (6,000 pages) TK-5285T TK-5275T : Yellow (6,000 pages) TK-5275T : Yellow (6,000 pages) TK-5285T Cyan/Magenta/Yellow 2,500 pages TR-5285T Cyan/Magenta/Yellow 2,500 pages	K : Black (13,000 pages) C : Cyan (11,000 pages) : Magenta (11,000 pages) : 'Yellow (11,000 pages) lack 6,000 pages	
Color Selection ACS; Full Color; Grayscale; Black & White Resolution 600dpi, 400dpi, 300dpi, 200dpi, 200x400dpi, 200x400dpi, 200x100dpi File Format TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPEG compression/High-compression PDF), Encrypted PDF, PDF/A-1, PDF/A-2, MS Image Type Mode Text, Photo, Text + Photo, Light Text/Fine Line Transmission Type Scan to SMB; Scan to E-mail; Scan to FTP over SSL; Scan to USB; TWAIN Scan; WS Address Storage 200 addresses (Common address list), 50 groups (Group address list) Fax Functions Original Size Max. A4 (Legal) - Min. A6 Coding Method MMR, MR, MH, JBIG Transmission Speed 33.6 kbps Memory 6MB One Touch Dial 100 numbers Network FAX Yes Consumables & Options Toner Kit (Page Yield in accordance with ISO/ IEC 19798) TK-5275K : Black (8,000 pages) TK-5275K : Magenta (6,000 pages) TK-5275F : Yellow (6,000 pages) TK-5285T TK-5275T : Yellow (6,000 pages) TK-5275T : Yellow (6,000 pages) TK-5285T Cyan/Magenta/Yellow 2,500 pages TR-5285T Cyan/Magenta/Yellow 2,500 pages	K : Black (13,000 pages) C : Cyan (11,000 pages) : Magenta (11,000 pages) f : Yellow (11,000 pages) lack 6,000 pages genta/Yellow 5,000 pages	
Color Selection ACS; Full Color; Grayscale; Black & White Resolution 600dpi, 400dpi, 300dpi, 200dpi, 200x400dpi, 200x400dpi, 200x100dpi File Format TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPEG compression/High-compression PDF), Encrypted PDF, PDF/A-1, PDF/A-2, MS Image Type Mode Text, Photo, Text + Photo, Light Text/Fine Line Transmission Type Scan to SMB; Scan to E-mail; Scan to FTP over SSL; Scan to USB; TWAIN Scan, WS Address Storage 200 addresses (Common address list), 50 groups (Group address list) Original Size Max. A4 (Legal) - Min. A6 Coding Method MMR, MR, MH, JBIG Transmission Speed 33.6 kbps Memory 6MB One Touch Dial 100 numbers Network FAX Yes Consumables & Options Toner Kit (Page Yield in accordance with ISO/ IEC 19798) TK-5275K : Black (8,000 pages) TK-5285M TK-5275C : Cyan (6,000 pages) TK-5285M TK-5285M TK-5275Y : Yellow (6,000 pages) TK-5285M TK-5285M TK-5275Y : Yellow (6,000 pages) TK-5285M TK-5275Y : Yellow (6,000 pages) Max-514 (200,000 pages) MK-5144 (200,000 pages)	K : Black (13,000 pages) C : Cyan (11,000 pages) : Magenta (11,000 pages) f : Yellow (11,000 pages) lack 6,000 pages genta/Yellow 5,000 pages	
Color Selection ACS; Full Color; Grayscale; Black & White Resolution 600dpi, 400dpi, 300dpi, 200dpi, 200x400dpi, 200x40dpi, 2	K : Black (13,000 pages) C : Cyan (11,000 pages) : Magenta (11,000 pages) f : Yellow (11,000 pages) lack 6,000 pages genta/Yellow 5,000 pages	
Color Selection ACS; Full Color; Grayscale; Black & White Resolution 600dpl, 400dpl, 300dpl, 200dpl, 200dpl, 200dplo, 200dp	K : Black (13,000 pages) C : Cyan (11,000 pages) : Magenta (11,000 pages) f : Yellow (11,000 pages) lack 6,000 pages genta/Yellow 5,000 pages	
Color Selection ACS; Full Color; Grayscale; Black & White Resolution 600dpi, 400dpi, 300dpi, 200dpi, 200dpi, 200dpid, 200dp	K : Black (13,000 pages) C : Cyan (11,000 pages) : Magenta (11,000 pages) f : Yellow (11,000 pages) lack 6,000 pages genta/Yellow 5,000 pages	
Color Selection ACS; Full Color; Grayscale; Black & White Resolution 600dpl, 400dpl, 300dpl, 2004pl, 200x400dpl, 200x100dpl Flie Format TIFF, IPEG, XPS, OpenXPS, PDF (MMR/JPEG compression/High-compression PDF), Encryted PDF, PDF/A-1, PDF/A-2, MS Image Type Mode Text, Photo, Text + Photo, Light Text/Fine Line Transmission Type Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; W. Address Storage Address Storage 200 addresses (Common address list), 50 groups (Group address list) Fax Functions Original Size Max. A4 (Legal) - Min. A6 Coding Method MMR, MR, MH, JBIG Transmission Speed 33.6 kbps Memory Memory MMR One Touch Dial Consumable Consumable Network FAX Consumable TK-5275K: Black (8,000 pages) TK-5285K Toner Kit (Page Yield in accordance with ISO/ (Page Yiel	K : Black (13,000 pages) C : Cyan (11,000 pages) : Magenta (11,000 pages) f : Yellow (11,000 pages) lack 6,000 pages genta/Yellow 5,000 pages	
Color Selection ACS; Full Color; Grayscale; Black & White Resolution 6000dpi, 4000dpi, 200dpi, 200x400dpi, 200x40dpi, 200x400dpi, 200x400dpi, 200x40dpi, 200x40dpi,	K : Black (13,000 pages) C : Cyan (11,000 pages) : Magenta (11,000 pages) f : Yellow (11,000 pages) lack 6,000 pages genta/Yellow 5,000 pages	
Color Selection ACS; Full Color; Grayscale; Black & White Resolution 600dpl, 400dpl, 300dpl, 2004pl, 200x400dpl, 200x100dpl Flie Format TIFF, IPEG, XPS, OpenXPS, PDF (MMR/JPEG compression/High-compression PDF), Encryted PDF, PDF/A-1, PDF/A-2, MS Image Type Mode Text, Photo, Text + Photo, Light Text/Fine Line Transmission Type Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; W. Address Storage Address Storage 200 addresses (Common address list), 50 groups (Group address list) Fax Functions Original Size Max. A4 (Legal) - Min. A6 Coding Method MMR, MR, MH, JBIG Transmission Speed 33.6 kbps Memory Memory MMR One Touch Dial Consumable Consumable Network FAX Consumable TK-5275K: Black (8,000 pages) TK-5285K Toner Kit (Page Yield in accordance with ISO/ (Page Yiel	K : Black (13,000 pages) C : Cyan (11,000 pages) : Magenta (11,000 pages) f : Yellow (11,000 pages) lack 6,000 pages genta/Yellow 5,000 pages	





KYOCERA Document Solutions Asia Limited

13/F, Mita Centre, 552-566 Castle Peak Road, Tsuen Wan, N.T., Hong Kong Tel: +852-2496-5678 Fax: +852-2610-2063 www.kyoceradocumentsolutions.asia

*KYOCERA does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

@All rights reserved. Brochure/KDAS/201810/Mebius_Color MFP







KYOCERA Business Partner